

# Chemistry





SCICH60011

## Balance Basic

To teach students for mass measurement, lightweight, durable, easy to use. Zero adjustment ensures accuracy. Pans are interchangeable and easily removable for pouring, cleaning and storing. Dual pointers are provided for viewing result from either side of the balance. Colours may vary. Capacity 2000 g Readability 0.5 g.

SCICH60011 Balance Base

SCICH60012 Mass set for use with above



## Balance Single Pan, Triple Beam

Specially designed to handle weighing solids and powder. Give accurate results year after year. Spring loaded zero adjust and magnetic damping gives stability & accuracy. Notched scaled have center reading sliding poises and are offset reading vertically for easy reading.

Capacity : 610 g, Sensitivity : 0.1 g

Front Beam Calibration : 10 x 0.1 g

Centre Beam Calibration : 500 x 100 g

Back Beam Calibration : 100 x 10 g, Moving Coil Meters

SCICH60241 - Balance Single Pan, Triple Beam

SCICH60242 - Same as above with unclibarated tare beam with 200g capicity.



## Balance Electronic Table Top

Simple accurate top loading balance with bright LED display, high resolution upto 30,000 counts, rust proof stainless steel platter, built-in rechargeable battery for continous use, fast weighing response time, overload protection design, auto power off, low battery indicator. Flat form 220x270mm.

SCICH60291 - Capacity - 3kg

SCICH60292 - Capacity - 10kg

SCICH60293 - Capacity - 30kg



## Balance Electronic Top

Specially designed for schools, colleges and Universities, compact and space saving, high quality LCD / LED display, auto zero tracking, auto calibration with external weight, stable indicator accurate result, simple battery operation (Six AA size), DC adapter available. Pan size 155x155mm.

SCICH60312 - Capacity - 600g

SCICH60314 - Capacity - 3000g

SCICH60313 - Capacity - 1000g

SCICH60315 - Capacity - 5000g



### Balance Electronic Portable with Round Platform

Moving Coil Meters DC Type EDM-80 Square. Clear acrylic front cover, fully enclosed economically priced and offer + 2.5% accuracy. Scale length 60 mm Overall size 125 x 80 x 80 mm with zero adjustment and connection terminals.

SCICH60351 - Capacity - 200g  
 SCICH60352 - Capacity - 400g  
 SCICH60353 - Capacity - 600g



### Absorption Tubes, Calcium Chloride U-form

With strong walls, borosilicate glass.

SCICH60401 - L100mm x 12mm Diameter  
 SCICH60402 - L125mm x 15mm Diameter  
 SCICH60403 - L150mm x 20mm Diameter



### Absorption Tubes, Calcium Chloride U-form with Side Tubes

Side Tubes With strong walls, borosilicate glass. U-form with side tubes.

SCICH60421 - L100mm x 12mm Diameter  
 SCICH60422 - L125mm x 15mm Diameter  
 SCICH60423 - L150mm x 20mm Diameter



### Aspirator Bottles

With outlet for stopper. Moulded Soda glass.

SCICH60581 - Capacity - 1000ml  
 SCICH60582 - Capacity - 2000ml  
 SCICH60583 - Capacity - 3000ml



### Dish Crystallizing

Borosilicate glass, flat bottom, with spout.

SCICH60661 - OD 100mm x 50mm height  
 SCICH60662 - OD 150mm x 75mm height  
 SCICH60663 - OD 190mm x 100mm height  
 SCICH60664 - OD 50mm x 30mm height  
 SCICH60665 - OD 70mm x 40mm height



## Basin Evaporating

Borosilicate glass, round bottom, with spout.

SCICH60681 - OD 80mm x 45mm Height  
SCICH60682 - OD 105mm x 55mm Height  
SCICH60683 - OD 150mm x 80mm Height  
SCICH60684 - OD 200mm x 100mm Height



## Basin Evaporating

Porcelain, flat form, with spout, glazed inside and outside except for rim.

SCICH60701 - OD 65mm x 35mm Height  
SCICH60702 - OD 75mm x 50mm Height  
SCICH60703 - OD 100mm x 100mm Height  
SCICH60704 - OD 120mm x 200mm Height  
SCICH60705 - OD 150mm x 300mm Height



## Basin Evaporating

Porcelain, round form, with spout, Superior quality. Fully Glazed except outside base.

SCICH60711 - OD 60mm x 35mm Height    SCICH60715 - OD 100mm x 150mm Height  
SCICH60712 - OD 75mm x 70mm Height    SCICH60716 - OD 115mm x 250mm Height  
SCICH60713 - OD 80mm x 80mm Height    SCICH60717 - OD 145mm x 250mm Height  
SCICH60714 - OD 94mm x 100mm Height    SCICH60718 - OD 162mm x 525mm Height



## Basin Evaporating

Porcelain, with spout, deep form, inside outside glazed.

SCICH60721 - OD 25mm x 8mm Height    SCICH60725 - OD 100mm x 175mm Height  
SCICH60722 - OD 50mm x 20mm Height    SCICH60727 - OD 125mm x 450mm Height  
SCICH60723 - OD 60mm x 40mm Height    SCICH60728 - OD 150mm x 850mm Height  
SCICH60724 - OD 75mm x 100mm Height



## Basin Evaporating - Silica

Round bottom, with spout, translucent.

SCICH60781 - 20ml    SCICH60784 - 85ml  
SCICH60782 - 45ml    SCICH60785 - 100ml  
SCICH60783 - 70ml    SCICH60786 - 200ml



### Crucible

Porcelain, tall, glazed inside and outside except base, with lid.

SCICH60741 - 10ml  
 SCICH60742 - 15ml  
 SCICH60743 - 25ml  
 SCICH60744 - 30ml

SCICH60745 - 40ml  
 SCICH60746 - 50ml  
 SCICH60747 - 100ml



### Crucible Nickel & lids

SCICH60841 - 20ml  
 SCICH60842 - 50ml  
 SCICH60843 - 100ml



SCICH6086

### Burner Bunsen - Economy

This is one of most inexpensive option without flame stabilizer. The burner tube is made of brass and mounted on pressed steel powder coated base. Base dia is 80 mm, overall height of burner is 135 mm burner tube dia 12 mm. Suitable for LPG / Butane gas.



SCICH60861

### Burner Bunsen - Simple

Nickel plated burner tube with rotatable air regulator & cylindrical rifflled connector, mounted on casted base. Burner tube 11 mm diameter, base dia. 65 mm, overall height 130 mm. Connector 10 mm o.d. For use with LPG / Butane gas.



SCICH60981

### Burner Meker - Economy with Stopcock

Meker burner is typically used where higher temperatures are required. The burner comprises of a perforated mesh plate on a nickel plated burner tube with a tapered bottom, mounted on casted base with rifflled gas inlet tube 10 mm O.D., burner plate dia. 25 mm, Overall height 175 mm base dia. 80 mm. Weight 580 g approx.



SCICH60983

## Burner Meker - Superior

Most popular Meker burner used for high temperature work. The top plate is made of durable ceramic. Suitable for LPG / Butane Gas. Spare nozzle supplied.



## Water Bath

Hemispherical, made of copper sheet, with two handles and a set of concentric rings.

SCICH61021 - 100ml

SCICH61022 - 125ml

SCICH61023 - 150ml

SCICH61024 - 200ml



## Water Bath

Hemispherical, made of aluminium sheet with two handles and a set of concentric rings.

SCICH61041 - 100ml

SCICH61042 - 125ml

SCICH61043 - 150ml

SCICH61044 - 200ml



## Water Bath

Cylindrical, made from thick aluminum sheet with two handles and a set of concentric rings.

SCICH61061 - 125ml

SCICH61062 - 150ml

SCICH61063 - 200ml



SCICH61201

## Water Bath

6 Place double walled, electric, automatic temperature control. Inside chamber size 355 x 250 x 110 mm made of stainless steel and outer of mild steel sheet. Outer and the inner wall is insulated with special grade glass wool. Top of the bath and the concentric rings are of stainless steel. Temperature controlled by a thermostat from Room temperature to 100°C with an accuracy of  $\pm 0.5^\circ\text{C}$ . Operates on 220/240 Volts AC.



### Beakers, Glass

Low form, with spout made of borosilicate glass, graduated.

- |                    |                      |
|--------------------|----------------------|
| SCICH61261 - 5ml   | SCICH61268 - 400ml   |
| SCICH61262 - 10ml  | SCICH61269 - 500ml   |
| SCICH61263 - 25ml  | SCICH612610 - 600ml  |
| SCICH61264 - 50ml  | SCICH612611 - 1000ml |
| SCICH61265 - 100ml | SCICH612612 - 2000ml |
| SCICH61266 - 150ml | SCICH612613 - 3000ml |
| SCICH61267 - 250ml |                      |



### Beaker Tall form

with spout made of borosilicate glass, graduated.

SCICH61271



### Beaker Euro Design

Polypropylene, have excellent clarity and very good chemical resistance, autoclavable, raised graduations on the outer surface with tapered spout

SCICH61371



### Bell Jar

Acrylic transparent clear, with stopper. Size 20 x 10 cm

SCICH61521



### Bell Jar

Soda glass, glass with ground stopper on top.

SCICH61522



## Bottles Reagent

Made of soda glass, narrow / wide neck polypropylene or glass stopper.

SCICH61561-N 30ml  
SCICH61562-N 60ml  
SCICH61563-N 125ml  
SCICH61564-N 250ml  
SCICH61565-N 500ml  
SCICH61566-N 1000ml  
SCICH61567-N 2000ml

SCICH61561-W 30ml  
SCICH61562-W 60ml  
SCICH61563-W 125ml  
SCICH61564-W 250ml  
SCICH61565-W 500ml  
SCICH61566-W 1000ml  
SCICH61567-W 2000ml



## Bottles Reagent Screw Cap

Made of soda glass, clear, with screw cap.

SCICH61571 - 30ml  
SCICH61572 - 60ml  
SCICH61573 - 125ml  
SCICH61574 - 200ml



## Bottles Reagent

Made of soda glass, amber colour, narrow / wide neck polypropylene or glass stopper.

SCICH61581-N 30ml  
SCICH61582-N 60ml  
SCICH61583-N 125ml  
SCICH61584-N 250ml  
SCICH61585-N 500ml  
SCICH61586-N 1000ml  
SCICH61587-N 2000ml

SCICH61581-W 30ml  
SCICH61582-W 60ml  
SCICH61583-W 125ml  
SCICH61584-W 250ml  
SCICH61585-W 500ml  
SCICH61586-W 1000ml  
SCICH61587-W 2000ml



## Bottles Reagent

Made of soda glass, amber colour with screw cap.

SCICH61591 - 30ml  
SCICH61592 - 60ml  
SCICH61593 - 125ml

SCICH61594 - 250ml  
SCICH61595 - 500ml



## Bottles Reagent

Made of Borosilicate glass, narrow mouth with acid proof polypropylene stopper.

SCICH61601 - 30ml  
SCICH61602 - 60ml  
SCICH61603 - 125ml  
SCICH61604 - 250ml

SCICH61605 - 500ml  
SCICH61606 - 1000ml  
SCICH61607 - 2000ml





### Wash Bottles

Polyethylene, translucent & unbreakable. The cap is fitted with a flexible polyethylene delivery tube which can be aimed wherever required.


- SCICH61801 - 125ml
- SCICH61802 - 250ml
- SCICH61803 - 500ml
- SCICH61804 - 1000ml



### Bottle Dropping

Blown in Low Density Polyethylene, Polylab Dropping Bottles dispense small uniform drops of liquids when pressed lightly.

- SCICH61841 - 60ml
- SCICH61842 - 125ml



SCICH6167

### Bottles Stand

Made of wood and polished and drilled with 4.5 cm holes can store 6 bottles.



### Bottle Dropping

Polyethylene, translucent & unbreakable. The cap is fitted with a flexible polyethylene delivery tube which can be aimed wherever required.

- SCICH61851 - 30ml
- SCICH61852 - 60ml
- SCICH61853 - 125ml



### Bottle Dropping

T.K. Pattern, clear glass bottle, with ground glass grip stopper and spout.

- SCICH61861 - 30ml
- SCICH61862 - 60ml
- SCICH61863 - 125ml



## Bottle Dropping

Made of Soda Glass with screw cap and fitted with dropper.

SCICH61871 - 30ml  
SCICH61872 - 60ml  
SCICH61873 - 125ml  
SCICH61874 - 180ml



## Bottle Dropping

Made of Soda Glass with screw cap and fitted with dropper.

SCICH61875 - 30ml  
SCICH61876 - 60ml  
SCICH61877 - 125ml  
SCICH61878 - 180ml



## Bottles Pipette Dropping

Pipette dropping bottle having a three piece pipette section comprising a glass dropper, high density polythene stopper with dust- proof head and vinyl teat. Both stopper and teat are highly resistant to chemical attack by acids and alkalis.

SCICH61941 - 30ml  
SCICH61942 - 60ml  
SCICH61943 - 125ml



## Bottles Pipette Dropping

Pipette dropping bottle having a three piece pipette section comprising a glass dropper, high density polythene stopper with dust- proof head and vinyl teat. Both stopper and teat are highly resistant to chemical attack by acids and alkalis.


SCICH61951 - 30ml  
SCICH61952 - 60ml  
SCICH61953 - 125ml



## Brushes - Semi Micro Test Tube

For test tube 6 - 10 mm in diameter, total length 175 mm, length of fiber section 7 cm and diameter 10 mm.

SCICH62021 - Nylon White  
SCICH62022 - Nylon Black  
SCICH62023 - Bristle



### Brushes - Test Tube

With fan-shaped end, on stainless steel wire handle. Bristal or Nylon.

Ranging from:  
 Total Lenght 230 - 280mm  
 Brush Length 80mm - 100mm  
 Brush Diameter 12mm - 35mm



### Brushes - Test Tube

Bristle with cotton yarn tip, on stainless steel wire handle.


SCICH62061- Bristle - Tapered Head 24-13mm for Tube Diameter 12-16mm  
 SCICH62062- Bristle - Tapered Head 35-25mm for Tube Diameter 16-25mm  
 SCICH62063- Nylon - Tapered Head 24-13mm for Tube Diameter 12-16mm  
 SCICH62064- Nylon - Tapered Head 35-25mm for Tube Diameter 16-25mm



SCICH6212

### Brushes Beaker - Economical

400 mm long Stainless steel wire handle. Size 150 x 85 mm



### Brushes - Burette

Bristle, on stainless steel wire handle.

SCICH62171- For Burette Capacity 25mm Bristle  
 SCICH62172- For Burette Capacity 50mm Bristle  
 SCICH62173- For Burette Capacity 100mm Bristle  
 SCICH62174- For Burette Capacity 25mm Nylon  
 SCICH62175- For Burette Capacity 50mm Nylon  
 SCICH62176- For Burette Capacity 100mm Nylon



SCICH62181

### Brushes - Pipette

Bristle, head size 125 x 10 mm, overall length 650 mm for pipettes and tubes from 8 - 12 mm diameter



SCICH62321

## Bulbs - Teat

Rubber for use with dropper pipettes.



SCICH62322

## Bulbs - Rubber

Heavy weight rubber, for pipettes & medicine droppers. Diameter 5 - 6mm. Capacity 1 and 2 ml.




## Burettes - Acrylic

With transparent acrylic body and leakproof PTFE plunger stopcock. Acrylic body is unaffected by dilute minerals acids & bases except hydrofluoric acid and ammonium hydroxide.

SCICH62331 - Capacity 25ml

SCICH62332 - Capacity 50ml



## Burettes - Glass Key


Single Straight Bore, Glass Key stopcock with blue ceramic graduation. Accuracy as per DIN 12700, ISO 385.

SCICH62361 - Capacity 10ml

SCICH62362 - Capacity 25ml

SCICH62363 - Capacity 50ml

SCICH62364 - Capacity 100ml




## Burettes Schelbach - PTFE key Stopcock

Schelbach glass, P.T.F.E. key stopcock. Accuracy as per DIN 12700, ISO 385.

SCICH624110 - Capacity 25ml

SCICH624112 - Capacity 50ml

SCICH624112 - Capacity 100ml



### Burettes - Teflon Stopcock

With replaceable Teflon Stopcock assembly. Accuracy as per DIN12700, ISO 385.

- SCICH62441 - Capacity 25ml
- SCICH62442 - Capacity 50ml
- SCICH62443 - Capacity 100ml



### Stopcock Modular - PTFE Straight Bore

PTFE body and plug combine all the desirable properties of the ultimate laboratory stopcock. Unbreakable, chemically inert, good vacuum and pressure performance.

SCICH6243



### Burette Clamp - Single

To hold burettes, sheet metal, die-pressed, with built-in boss head.

SCICH62541



### Burette Clamp - Double

To hold burettes, casted, with built-in boss head.

SCICH62542



### Burette Clamp

Comprising a high strength alloy casting jaws. Suitable for all burettes up to 100ml.

SCICH62581




## Burettes Stands

Made of seasoned hardwood, polished, with clamping screws. Rods are approx. 460 x 16 mm. Single base size 200 x 100 mm. Double base size 290 x 100 mm.

SCICH62641 - Single

SCICH62642 - Double



SCICH6267

## Centrifuge Hand - Economy

A single speed hand driven machine consisting of a die casted parts and a steel pinion and worm drive. Screw clamps the machine to bench. Finished in grey colour with removable crank handle. Suitable for 4 x 15 ml polythene tubes



SCICH62681

## Centrifuge Tube

Borosilicate glass, graduated / plain, Conical



SCICH62902

## Clips Mohr's - Brass


Nickel-plated, good quality for schools.



SCICH62982

## Clips Hoffman's - Brass

Nickel plated, with projecting plate to prevent damage to tubing by end of screw, with hinged bottom bar for direct fitting and removed without access to ends of tube



SCICH63011

### Condenser - Liebig

Borosilicate glass, inner tube integral with body, narrow jacket for efficient cooling. Length of jacket 30cm, total length 48cm



SCICH6310

### Cork Stopper - Bark



SCICH6314

### Stopper Rubber

Solid, One Hole & Two Holes



SCICH6322+2

### Cork Borer Set Brass - German Pattern


Nickel-plated finish. Complete with cleaning rod having good grip and pipes of thick gauge. Available in Set of 6 or Set of 12



SCICH63241

### Cork Borer Sharpener, Sheet metal

Plated metal cone with hinged cutter blade set in slot and handle. For borers dia. 4 -27 mm



## Cylinder Measuring Graduated

Borosilicate glass, Class - B, Round base with spout as per DIN 12680.

SCICH63444A5 - Capacity 5ml

SCICH63444A10 - Capacity 10ml

SCICH63441 - Capacity 25ml

SCICH63442 - Capacity 50ml


SCICH63443 - Capacity 100ml

SCICH63444 - Capacity 250ml

SCICH63445 - Capacity 500ml

SCICH63446 - Capacity 1000ml

SCICH63447 - Capacity 2000ml




SCICH63451

## Cylinder Measuring Graduated

Class 'B' with hexagonal base with spout as per Din 12680

Cap. 10,25,50,100,250,500,1000,2000ml



SCICH63541

## Cylinder Measuring Graduated-Hexagonal

Polypropylene. Single piece, autoclavable, graduated and have excellent contact clarity. Base provides with good stability.

Cap. 10,25,50,100,250,500,1000ml



SCICH63581

## Desiccator

Soda glass with knob cover.

Cap. 15,20,25ml



SCICH63701

## Petri Dish

Borosilicate glass can withstand wet or dry repeated sterilisation. The edges are beaded to provide greater mechanical strength.






SCICH63741

### Petri Dish Disposable

Made of polystyrene, transparent, non toxic, packed individually in polythylene bags are sterilized by radiation. Ready to use.



SCICH63902

### Filter Paper Superior

???



SCICH63972

### Filter Pump - Edward type

Nickel plated brass, Used for creating of vacuum when connected with water inlet.



SCICH64021

### Flask Boiling - Florence

Borosilicate glass, florence, flat bottom, narrow neck with beaded rim DIN 12347



SCICH64101

### Flask Boiling - Florence

Borosilicate glass, florence, round bottom, narrow neck with beaded rim DIN 12347



SCICH64162

## Flask Distilling

Borosilicate glass, round bottom, with side arm



SCICH64241

## Flask Conical

Borosilicate glass, Erlenmeyer, Narrow neck DIN 12380



## Flasks Volumetric Class - B

Borosilicate glass with one graduation mark. Fitted with chemical resistance polythelene stopper as per DIN 12664.

SCICH64481 - Capacity 5ml

SCICH64486 - Capacity 200ml

SCICH64482 - Capacity 10ml

SCICH64487 - Capacity 250ml

SCICH64483 - Capacity 25ml

SCICH64488 - Capacity 500ml

SCICH64484 - Capacity 50ml

SCICH64489 - Capacity 1000ml

SCICH64485 - Capacity 100ml

SCICH644810 - Capacity 2000ml



SCICH64241

## Funnel Filter

Polythene, unaffected by acids, alkalies etc



## Funnel Filter

Borosilicate glass, plain, 60° angle.

SCICH64561 - 5cm

SCICH64562 - 6.5cm

SCICH64563 - 7.5cm

SCICH64564 - 10cm

SCICH64565 - 12.5cm

SCICH64566 - 15cm



### Funnel Dropping - Open

Borosilicate glass, Cylindrical, Open top with PTFE key stopcock



### Funnel Dropping - Squibb

Borosilicate glass with interchangeable plastic stopper and PTFE Key stopcock.

SCICH64761 - 100ml  
 SCICH64762 - 250ml  
 SCICH64763 - 500ml

SCICH64764 - 1000ml  
 SCICH64765 - 2000ml




### Funnel Separating - Squibb

Borosilicate glass with interchangeable plastic stopper and PTFE Key stopcock..

SCICH64791 - 50ml  
 SCICH64792 - 100ml  
 SCICH64793 - 250ml

SCICH64794 - 500ml  
 SCICH64795 - 1000ml  
 SCICH64796 - 2000ml



### Funnel Thistle 30cm

Neutral glass, stout walled.



### Gas Jar Cylindrical

Soda Glass with ground flange, without lid and heavy foot.



### Gas Jar Cover

Circulars sheet glass, ground one side.



SCICH65071

## Beehive Shelf

Porcelain, glazed inside and out.



SCICH65162

## Gas Generator Kipp's

Borosilicate glass, rapid and effective apparatus.



SCICH6520

## Deflagrating Spoon and Cap

A Steel cup and rod held by cork in aluminum cap, length 35 cm and diameter of cap 90 mm cup 18 mm.



## Gauge Wire Iron

A Steel cup and rod held by cork in aluminum cap, length 35 cm and diameter of cap 90 mm cup 18 mm.

SCICH65251 - 12.5cm

SCICH65252 - 15cm




## Clay Pipe Triangle

Clay pipe, on thick iron wire.

SCICH65301 - 5cm

SCICH65302 - 6cm


SCICH65303 - 7.5cm



### Spirit Lamp Glass

Polyhedral, heavy duty allows the position of flame at just the right angle for each task, complete with cap and one wick.

SCICH65321 - 60ml  
SCICH65322 - 125ml



### Mortar and Pestle

Porcelain, grinding surface unglazed.


SCICH65401 - 80ml	SCICH65405 - 180ml
SCICH65402 - 105ml	SCICH65406 - 200ml
SCICH65403 - 125ml	SCICH65407 - 230ml
SCICH65404 - 150ml	



SCICH6554

### Watch Glass


Polished with ground edges.



### Pipettes Class - B

Borosilicate glass, bulb form, with one mark Accuracy as per Class B Colour coded. DIN 12690.

SCICH65581 - 1ml	SCICH65586 - 20ml
SCICH65582 - 2ml	SCICH65587 - 25ml
SCICH65583 - 5ml	SCICH65588 - 50ml
SCICH65584 - 10ml	SCICH65589 - 100ml
SCICH65585 - 15ml	




SCICH65902

### Pipette Stand

Wooden and polished, to hold vertically pipettes of assorted sizes. Height 41 cm width 36 cm and depth 11 cm.

SCICH65901 - Stand for 24 Pipettes  
SCICH65902 - Stand for 10 Pipettes



SCICH6594

## Pipette Stand - Vertical, PP

The top disc that can be fixed on the rod has holes for holding pipettes while the lower one has pilot holes where the pipette tips rest and liquids drain down to the base. These discs can be adjusted on the rod according to the length of the pipette. The arrows provided on the discs should be kept parallel to ensure that corresponding holes are being centered



SCICH66031

## Sodium Chloride Model Kit

Comprises of necessary material required to make the model of Sodium Chloride



SCICH66032

## Graphite Model Kit


Comprises of necessary material required to make the model of Graphite



SCICH66033

## Diamond Model Kit

Comprises of necessary material required to make the model of Diamond.



SCICH66034

## Water Model Kit


Comprises of necessary material required to make the model of Water.



SCICH66036

### Fluorine Model Kit

Comprises of necessary material required to make the model of Water.



### Compact Models - Large scale

These are large demonstration scale compact models. The spheres are 50 mm diameter made in solid plastic making this a very durable tool for classroom demonstration.

SCICH66037 - Zinc  
 SCICH66038 - Iron  
 SCICH66039 - Copper



SCICH66081

### Model Atomic Set - Economy - Senior

Ideally suited for advance level courses. Used for modeling three dimensional simple or complex molecular structures of organic and inorganic compounds with universal colour code for atoms. Senior: This set consists of 150 connecting lugs and 370 balls in different sizes and colours with instructions manual.



SCICH66082

### Model Atomic Set - Economy - Junior

Ideally suited for advance level courses. Used for modeling three dimensional simple or complex molecular structures of organic and inorganic compounds with universal colour code for atoms. Junior: This set consists of 30 connecting lugs and 75 balls in different sizes and colors in a box..



SCICH6609

### Set of Atomic Models - Basic

Consists of 54 balls of various colours and 24 legs.



SCICH6610

## Organic / Inorganic Teacher & Student Set Model



SCICH66191

## Safety Goggles - Clear

Anti scratch & anti fog. UV protected. Light weight polycarbonate. Impact resistant lens. CE marked.



SCICH66194

## Safety Goggles - Indirect Vent

General purpose goggles with side ventilators. Designed to protect eyes from chemical splash and dust.



## Paper Test Litmus

For schools. In plastic box of 5 books each with 20 leaves of size 63.5 x 10 mm wide approx.

SCICH66231 - Red  
SCICH66232 - Blue



## Paper Test Litmus

For schools. In cardboard box of 5 books each with 20 leaves of size 63.5 x 10 mm wide approx.

SCICH66241 - Red  
SCICH66242 - Blue





### Paper Indicator

For Schools and colleges. Packed in card board / plastic case of 5 books each with 20 leaves. Total 100 leaves.approx.

- SCICH66251 - Netural Litmus paper
- SCICH66252 - Lead Acetate
- SCICH66253 - Phenolphthalein
- SCICH66254 - Starch Iodide
- SCICH66255 - Starch
- SCICH66256 - Turmeric
- SCICH66257 - Cobalt Chloride Paper
- SCICH66258 - Potassium Iodide Paper



### Paper Test pH

Best make, for Colleges, Universities. Supplied in box of 5 books each with 20 leaves of size 63.5 x 10 mm wide approx. Total 100 leaves.

- SCICH66262 - Test paper pH 1 to 14
- SCICH66264 - Test paper pH 1 to 11



### Spatula Stainless Steel

One end flat and the other end spoon form, polished.



### Spatula Palette Knife

Palette knife flexible blade with parallel sides, in wooden handle. Length 15.5 cm.

SCICH6640



## Stand for Alcohol Burner

Made of steel wire, chrome plated. Stand has a heavy wire gauge top. Overall height 90 mm a design to accommodate most standard alcohol burners.

SCICH66431 - Height 90mm

SCICH66432 - Two way height 125mm



## Tripod Stand - Circular

Zinc plated cast iron top and mild steel legs. Height 21cm.

SCICH66441 - 12cm OD

SCICH66442 - 15cm OD



## Tripod Stand - Triangular

Zinc plated cast iron top and mild steel legs. (OD 12cm) Height 21cm.

SCICH66451 - 12cm OD

SCICH66452 - 15cm OD



## Base Retort Stand Rectangular - Cast Iron

Casted base, finished in blue / black colour with tapped hole 10 x 1.5 mm metric thread in the center of one short side.

SCICH66531 - Length 16cm Width 10cm

SCICH66532 - Length 20cm Width 12.5cm

SCICH66533 - Length 25cm Width 15cm



SCICH66641

### Boss Head

Aluminium die casted, holds rods at right angle with plastic head thumbscrews can take rods up to 16 mm diameter.



SCICH66681

### Retort Ring Closed

Plated mild steel with 8mm diameter stem.



SCICH6684

### Clamp Retort - 3 Prong, Powder coated


A PVC coated diecast jaw, with clamping tommy-bar screwthrough swivels, mounted on 13.5 cm rod. of diameter 8 mm jaw capacity 90 mm and overall length 25 cm.



SCICH6682

### Clamp Retort - 4 Prong, Powder coated


Diecast in alloy, with other parts of plated brass, clamp accepts articles from 2-90 mm diameters . The design of the jaw ensures a firm grip at all angles of opening. The cork liners for the jaws are well secured. Overall length 25 cm.



SCICH66941

### Test Tube Stand, Polypropylene

White/blue colour, autoclavable and 6 place racks end supported by 2 columns. In this stand top plate has 2 holes for holding 25 mm dia. Test tube & four holes to hold 16mm diameter Tubes. It has six vertical pin for drying tubes.



## Test Tubes, Light wall

Borosilicate glass 3.3, light wall, with rim, with strong resistance to heat and chemicals.. Pack of 100.



## Test Tube Holder

Wooden, with spring for closing jaws, 18 cms. accepts tubes of 11-19 mm diameter.



## Test Tube Holder-Brass

Superior Strong spring clip, with strip of metal in wooden handle accepts tubes 15-25 mm.



## Crucible Tong Straight

General purpose straight tongs, with corrugated jaws, used for handling of hot apparatus. Length 20cm, Stainless Steel.



## Crucible Tong with bow

General purpose tongs with bow, with corrugated jaws, used for handling of hot apparatus Length 20cm, Stainless Steel.



SCICHLABKIT

### Lab Essential Kit - Superior

This set comprises one each of base 20 x 12.5 cm and 600 mm rod, beaker tong, crucible tong, tripod stand, wire gauge, bosshead, clamp, retort ring with boss head, burette clamp double, test tube holder, test tube stand 'Z' shape, test tube brush and spatula.



SCICH67401

### Hoffman Electrolysis Apparatus

With one pair of carbon and platinum electrodes without clamp and stand, with glass stopcock Borosilicate glass, graduated. For the demonstration of the chemical composition of water by volume and the electrochemical equivalent of hydrogen by electrolysis of water. Platinum electrodes mounted in rubber stoppers are used for the electrolysis of acidified water but carbon electrodes must be used for ammonia solutions or hydrochloric acid (or another chloride containing solution). Stopcock and reservoir at apex of outer tubes and inner tube respectively. Outer limbs graduated 0-50 x 0.2 ml . Supplied with instructions



SCICH67401

### Tong Flask Safety

Stainless steel, with cork lined rectangular jaws giving an extremely firm grip to flasks of any shape from 100 - 2000 ml. Overall length 30 cm.



SCICH6751

### Combustion Boat

Poreclain, with handle, length 85 mm, width 10 mm and height 10 mm approx. Pack of 10 units



### Tubing Rubber Red

High pressure, extra soft quality, Per meter.

SCICH6761 - Pack of 10 meters

SCICH6762 - Per meter



SCICH67661+B

## Tubing Connector T & Y Shape

Glass, three way, ruffled end for rubber tubing 8mm outside diameter.



SCICH67801

## Laboratory Hot Plates - Rectangular

Rectangular plate 200 x 180 mm fitted on steel body. Fitted with indicator lamp, thermostat and maximum surface temp. 300°C. Thermostat is provided, protection fuse fitted, 1000 watt output wattage and size 220 x 110 x 210 mm. Operates on 220V AC / 50 Hz. Thermostat and separate control for magnetic stirrer.

SCICH67801 - Rectangular

SCICH67801 - Rectangular with Magnetic Stirrer




SCICH67851

## Magnetic Stirrer - Ceramic Top

Easy to clean and maintain. Rugged aluminium die casting housing with acid and alkali resistant glass ceramic top which enhances solution visibility. An energy regulator supplies power to the heating element, a certain percentage of time depending on dial setting. Electronic speed control from 100- 1000 RPM.

SCICH67851 - 10x10cm

SCICH67852 - 18x18cm



SCIPH64681

## Thermometers Mercury

Mercury in glass, with white/yellow enamelled back and reinforced bulbs. General purpose stirring thermometers. Supplied with non-roll fitting. Diameter 6.5 mm approx. and 76 mm immersion. Lines and numbers are permanently fused to glass. Supplied in case.

SCICH64681 - Range (-10 to 50)

SCICH64682 - Range (-10 to 100)

SCICH64683 - Range (-10 to 110)

SCICH64684 - Range (-10 to 150)

SCICH64685 - Range (-10 to 250)

SCICH64686 - Range (-10 to 360)



SCICH6956

### Trolley Apparatus - Two tier

Fully welded, tubular and frame constructed, finished powder coated blue. Shelf heights 200 mm and 820 mm from floor level. The shelves are fixed for added stability and are supplied lipped edges up. Size 66 x 39 x 93 cm.



### Fire Extinguisher Dry Powder

Portable type, can be mounted. With metal shield, pressure gauge and strap bracket. Suitable for fire involving inflammable liquids, oil, spirit and for all class of fires i.e. A, B, C, D and E.

- |                  |                   |
|------------------|-------------------|
| SCICH69581 - 1kg | SCICH69584 - 5kg  |
| SCICH69582 - 2kg | SCICH69585 - 10kg |
| SCICH69583 - 4kg |                   |



SCICH6962

### First Aid Kits

Portable, for 1 - 5 persons, supplied in painted metal cabinet.